

BUILDING PERMIT APPLICATION (PLEASE PRINT)

			(PLEAS	E PRINT)				
Street Address	Apt. or Te	enant Addr	ess	City and State			Zip	
Subdivision	Lot Number		Parcel Numb	er	Zonin	g District		Construction Est. Value \$
Public Water: Yes / No *REQUIRED	Public Sewer: Y *REQUIRED		Gas: Natural	Propane/None	Sprink *REQU	kler: Yes J IRED		*REQUIRED- DO NOT INCLUDE PLUMBING, MECHANICAL, OR ELECTRICAL COST
Property Owner:Address:								
Address:Home Phone:	C	Cell Phone	:		_E-mail	l:		
T								
Address:	(Cell Phone	e:		E-ma	il:		
Contractor:								
Address:Office Phone:	(Cell Phone	:		E-mai	l:		
Commerc appointed 2. Check t	tractors are to supply ial General Liability officials, and employ the Township website	Insurance w yees shall be e to follow th	vith a minimum named addition ne permit applica	limit of \$1,000,000 nal insured under th ation guidelines.	per occur ie contrac	rrence. Doylector's Gener	estown To al Liabilit	ownship, its elected and
☐ Accessory Bldg (Over			nolition/Tank				ming Po	ol 🗆 Hot Tub
☐ New Residential Dwe		☐ Exte	erior Alteratio	ns/Additions			or Altera	•
☐ HUD Manufactured H	Iome	☐ Dec	k- Above gra	de 30 inches or r	nore	□ Const	ruction v	within a Floodplain
*REQUIRED- For all ne	w residential cons	struction, a	additions or re	novations comp	lete the	Energy E	Efficienc	y Worksheet. 🗸 🗆
OR								
Т	YPE OF CON	MMERC	CIAL BUII	DING PERN	MIT (P	lease chec	ck one:)	
☐ Additions	☐ Exteri	or Alterati	ons	☐ New Constr	ruction		□ Re	-Roofing
☐ Alarm/FM 200 System	n 🗆 Interio	or Alteration	ons	☐ Tank Remo	val			
☐ Demolition: The Tow	nship requires a c	copy of the	DEP Asbesto	os Abatement Pe	rmit			
	DESCR	IPTION	OF PROP	OSED CONS	STRU	CTION		
		<u> </u>						

Revised 10/11/2023			Permit #
PLEASE NOTE: The pr	operty owner(s) must sign this application	to verify the contracto	or or tenant has permission from the
	all construction work authorized by the is		
	construction documents must accompany t	his application. In add	ition, a digital copy must be included
<u>for all new subdivision or</u>	amended site plans.		
application and attached sub-trade within this application and/or that	permit application at any time, without an administrative exists on the above property complies with all Doylestow site plan and construction documents is made a part of	e warrant, to inspect and verify yn Township zoning and buildin	that any proposed use and/or structure contained ng code ordinances.
agreed to by the applicant and pro- lines is the sole responsibility of standards of any Township road of application by the applicant(s) and part of the public record. The app may be revoked. Furthermore, the of the code, the permit and certifical Written approval of final inspec	perty owner that the Township office is not responsible for the property owner and applicant. The applicant and property infrastructure which is damaged during the building of diproperty owner(s) is true and correct to the best of their colicant warrants the truthfulness of the information in the elephication and permit can provide that if the permit is eate of occupancy may be revoked.	or any property dimensions sho roperty owner also agree they of the permitted structure and u knowledge or belief, and all in application, and that if any of issued wrongfully, whether bas permits for this project before	with on the site plan and establishment of property are responsible for the replacement to Township inderstands that the information provided on this information contained in their application becomes the information provided is incorrect, the permit sed on misinformation or an improper application as a Certificate of Occupancy can be issued.
By signing this application, the work. All work to comply with	applicant certifies that all the information is correct the PA UCC as amended.	t and that the property owner	er has authorized work and inspection of that
Date:	Signature of Applicant(s)		
	Print Applicant(s) Name(s)		
Date:	Signature of Property Owner(s)		(Required)
	Print Property Owner(s) Name(s)		(Required)
	THE GREEN POINTS INITIATIVE		
https://doylestownpa.o	rg/departments/code-and-zoning/perm	<u>it-applications-and-g</u>	<u>guidelines/</u>

REQUIRED: Does the applicant intend to apply for a Green Points Initiative Rebate BEFORE final inspection of this project? (You must check one) ✓ □ YES \square NO

APPLICATION GUIDELINES:

- At project completion, a digital copy of the site plan and of the as-built are required.
- Application forms are also available from the Township Website: www.doylestownpa.org
- General Contractor on permit is required to submit sub-contractor contact information and insurance details.

Residential:

- 1. Construction drawings, if not signed by an architect or engineer, must have each page signed and dated by the property owner and state that the code followed is the PA UCC.
- 2. For new dwelling unit construction, follow the "New Home Construction Application Guidelines" found on the Township Website under Permit Applications & Guidelines.
- 3. New construction, including additions, requires an energy statement be enclosed with the application (e.g., REScheck) or a statement that the PA Alternative energy provisions will be used.
- 4. In addition to the building permit application, grading, plumbing, mechanical, electrical, zoning and highway occupancy permit applications may be required as appropriate and are to be submitted at the same time. PARTIAL OR INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED.
- 5. For increases in impervious coverage between 1001 and 5000 sq. ft. follow Township Code Ch. 148 Appendix I and include the details of stormwater mitigation with your application.

Commercial:

- 1. All commercial construction documents are required to indicate that construction will comply with the requirements of the PA UCC and be signed and sealed by a PA architect or engineer.
- 2. Subcontractor applications, including plumbing, mechanical, electrical, sprinkler, alarm and road occupancy to be submitted at the same time as the building permit application. PARTIAL OR INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED.
- 3. Include copies of other required applications/permits as appropriate (e.g. DEP asbestos abatement, COMcheck, PENNDOT highway occupancy permit, PA One Call, sewer, water, State licensing agency, etc.)
- 4. Follow "Accessibility Plan Review Requirements" found on the Township Website under Permit Applications & Guidelines.

WORK SHEET FOR A SITE PLAN

Provide 2 copies of all plans submitted

	SITE INFO	RMATION	
Water Service: ☐ Publi	c 🗆 Private	Sewer Service:	☐ Public ☐ Private
PROPERTY ADDRESS:			
	O.T.	DT 137	
	SITE	PLAN	

Include Two (2) Copies of this Site Plan with your application SCALE = 1 inch _____ FEET

Revised 10/11/2023 Permit #______

IMPERVIOUS COVERAGE

THIS CALCULATION IS REQUIRED FOR ALL PERMITS THAT WILL RESULT IN ADDITIONAL GROUND BEING COVERED: SHEDS, ADDITIONS & PATIOS, ETC.

Street Address		Apt. or Tenant Add	dress	City and Sta	ite	Zip	
Subdivision	Lot N	Jumber	Parcel Num	oer	Zoning District		Permitted Impervious %

DEFINITIONS

IMPERVIOUS SURFACE – Any surface which does not absorb rain; all buildings, parking areas, driveways, roads, sidewalks and any areas in concrete, asphalt, packed stone, pavers on sand or other equivalent surfaces. In addition, other areas determined by the Township Engineer to be impervious within the meaning of this definition shall also be classified as impervious. For purposes of this definition the areas of a swimming pool or pond located inside the coping shall be classified as impervious.

NET BUILDABLE SITE AREA – Net buildable site area is calculated for the purpose of determining allowable impervious surface and land permitted to be developed. Net buildable site area equals total lot area contained in the subdivision or land development application:

- (a) Minus ultimate rights-of-way of existing streets;
- (b) Minus land which is not contiguous or which is separated from the site by a road or railroad;
- (c) Minus land shown on previous subdivision or land development plans as reserved for open space or other uses which restrict it from development;
- (d) Minus all land restricted by easements or covenants; and
- (e) Minus land required to be left open for resource protection or to meet minimum open space requirements of this chapter.

IMPERVIOUS SURFACE RATIO – The total area of all impervious surfaces divided by the net buildable site area.

IMPERVIOUS SURFACE PERMITTED TO BE DEVELOPED

net buildable site area x Permitted Impervious surface ratio

		W W W W I I I I I I I I I I I I I I I I
Lot Size	(sq. ft.)	(Note: $1 \text{ Acre} = 43560 \text{ sq. ft.}$)
Driveway	(sq. ft.)	
Walkway	(sq. ft.)	
Buildings	(sq. ft.)	
Patio/Pool	(sq. ft.)	
Easements/Other	(sq. ft.)	
Total Existing Imperv	rious (sq. ft.)	
Proposed Construction	n (sq. ft.)	
Total:		

(FOR USE BY DOYLESTOWN TOWNSHIP)

	IMPERVIOUS CO	VERAGE	
Total Impervious Surface	Proposed %	Sq. Ft.	
-	Allowed %	Sq. Ft.	

^{**} For increases in impervious coverage between 1001 and 5000 sq. ft. follow Township Code Ch. 148 Appendix I and include the details of stormwater mitigation with your application.

Revised 10/11/2023 Permit #_____



CHANGE OF CONTRACTOR / SUBCONTRACTOR

As per the Pennsylvania Workers Compensation Insurance regulation, all contractors/subcontractors are required to provide proof of Workers Compensation and Liability Insurance. For any changes in contractor/subcontractor, please provide a liability insurance certificate naming Doylestown Township as additional insured in addition to the Worker's Compensation insurance certificate.

•			•	
Job Locatio	n:			Permit No:
		Contractor leaving	the job:	
Contractor:				
Contractor	Address:			
City, State,	Zip:			
Phone:		Fax:		
E-Mail:		State	Contract	or License No.
Trade (If ot	her than ge	neral contractor):		
		New contractor taking	their plac	e:
Contractor:				
Contractor				
City, State,	Zip:			
Phone:		Fax:		
E-Mail:		State	Contract	or License No.
Trade (If ot	her than ge	neral contractor):		
		Signatures Regi	ired	

Date:

Date:

Print Name:

Print Name:

Sign:

Sign:

Property Owner or

General Contractor:

Property

Individual Responsible for

Revised 10/11/2023 Permit #_____

Don't Let Storm Water Run Off With Your Time and Money!

Whatthe Construction Industry Should Know About Storm Water In Our Community

The construction industry plays an important role in improving our community's quality of life by not only providing new development, but also protecting our streams and rivers through smart business practices that prevent pollution from leaving construction sites.

Storm water runoff leaving construction sites can carry pollutants such as dirt, construction debris, oil, and paint off-site and into storm drains. In our community, storm drains carry storm water runoff directly to local creeks, streams, and rivers with no treatment. Developers, contractors, and homebuilders can help to prevent storm water pollution by taking the following steps:

- 1. Comply with storm water permit requirements.
- 2. Practice erosion control and pollution prevention practices to keep construction sites "clean."
- 3. Conduct advanced planning and training to ensure proper implementation on-site.

The remainder of this fact sheet addresses these three steps.

Storm Water Permit Requirements for Construction Activity

Planning and permitting requirements exist for construction activities. These requirements are intended to minimize storm water pollutants leaving construction sites.

- Pennsylvania's Erosion and Sediment Pollution Control Program (25 Pa. Code, Chapter 102) requires Erosion and Sediment Control Plans for all earth disturbing activities.
- The National Pollutant Discharge Elimination System (NPDES)
 Permit Program (25 Pa. Code, Chapter 92) requires that
 construction activities disturbing greater than one acre submit a
 Notice of Intent for coverage under a general NPDES permit.



What is Storm Water?

precipitation that flows across the

rains or when snow and ice melt. The water seeps into the ground

or drains into what are commonly

called storm sewers. These are the

drains you see at street corners or

Collectively, the draining water is called storm water runoff.

at low points on the sides of


Storm water is water from

ground and pavement when it

Knowing your requirements before starting a project and following them during construction can save you time and money, and demonstrate that you are a partner in improving our community's quality of life. For more information about these programs, contact your local county conservation district office or the Department of Environmental Protection.

Erosion Control Practices:

- Perimeter controls (e.g. silt fence)
- Sediment traps
- Immediate revegetation
- Phased, minimized grading
- Construction entrance
- Protection of streams and drainage ways
- Inlet protection



An Ounce of Prevention

Rain that falls onto construction sites is likely to carry away soil particles and other toxic chemicals present on construction sites (oil, grease, hazardous wastes, fuel). Storm water, if not properly managed, carries these pollutants to streams, rivers, and lakes. Erosion and sediment control practices can serve as a first line of defense,

erm	it	#	
CIII	Hι	π	

Pollution Prevention Practices:

- Designated fueling and vehicle maintenance area away from streams.
- Remove trash and litter.
- Clean up leaks immediately.
- Never wash down dirty pavement.
- Place dumpsters under cover.
- Dispose of all wastes properly.

minimizing clean up and maintenance costs, and the impacts to water resources caused by soil erosion during active construction. Erosion controls can reduce the volume of soil going into a sediment control device, such as a sediment trap, therefore, "clean out" frequencies are lower and maintenance costs are less. When possible, divert water around the construction site using berms or drainage ditches.

In addition, use pollution prevention and "good housekeeping measures" to reduce the pollution leaving construction sites as well. This can be as simple as minimizing the pollution source's contact with rainwater by covering it, maintaining a "clean site" by reducing trash and waste, and keeping vehicles well maintained.

The Best Laid Plans

Plans such as erosion and sediment control plans and storm water pollution prevention plans are important tools for outlining the erosion control and pollution prevention practices that you will use to manage storm water runoff prior to breaking ground. Developing good plans allows for proper budgeting and planning for the life of the project. Proper installation and maintenance of erosion and storm water controls is essential to a plan that works. Training for on-site staff helps to ensure the proper installation and maintenance of erosion controls and pollution prevention practices. Inspect controls and management techniques regularly to ensure they are working, especially after storm events. If polluted storm water is leaving the site, you may need to repair or add additional storm water controls.



The Bigger Storm Water Picture

Your community is preventing storm water pollution through a comprehensive storm water management program. This program addresses storm water pollution from construction, but it also deals with new development, illegal dumping to the storm sewer system, and municipal operations. It will also continue to educate the community and get everyone involved in making sure the only thing that storm water contributes to our streams is . . . water! Contact your community or the Pennsylvania Department of Environmental Protection for more information about storm water management.

For more information:

Pennsylvania Association of Conservation District's: http://www.pacd.org/default.html

Pennsylvania Handbook of Best Management Practices for Developing Areas: http://www.pacd.org/products/bmp/bmp_handbook.html

Storm Water Manager's Resource Center: http://www.stormwatercenter.net

Pennsylvania Department of Environmental Protection: http://www.dep.state.pa.us

